Pilot-RC plane servo extension length list

Note: this list is base on 30cm of the servo wire(which is normal servo wire length)

		T	Wile (will be normal belve	1	
No.	Plane	stabilizer servo install position	servo position	servo extension length (cm)	QTY
			aileron servo near the	10	2
			aileron servo on the mid of the wing	0	QTY 2 2 2 2 2 0 2 2 2 2 2 2 2 2 2 2 2 2 2
1	YAK54-53		aileron servo on the outside of the wing	0	
	1111101 00		aileron servo on the outside of the wing (2)	0	2
		on fuselage	stabilizer servo	35	2
		Ü	rudder servo		
			aileron servo near the		
			aileron servo on the mid		
			of the wing	35 0 25 0 0 0 0 55 0 25 0 0 0	2
			aileron servo on the	0	0
2	YAK54-73		outside of the wing	Ü	2
			aileron servo on the	0	2
			outside of the wing (2)		
		on fuselage	stabilizer servo	55	2
			rudder servo	0	0
			aileron servo near the	25	2
			aileron servo on the mid	0	9
			of the wing	U	۷
_			aileron servo on the	25 0 0	2
3	YAK54-87		outside of the wing		
			aileron servo on the	0	2
		on fugaloga	outside of the wing (2) stabilizer servo	75	9
		on fuselage			
			rudder servo	_	
			aileron servo near the	25	2
			aileron servo on the mid of the wing	1ength (cm) 10 0 0 0 35 0 25 0 0 0 55 0 25 0 0 75 0 25 45 75 0 135 0 155 55 95	2
4	YAK54-107		aileron servo on the outside of the wing	75	2
			aileron servo on the outside of the wing (2)	0	2
		inside of the stabilizer		135	$\overline{2}$
			rudder servo		
			aileron servo near the	_	
			aileron servo on the mid of the wing	0 0 75 0 25 45 75 0 135 0 15 55	
5	YAK54-121		aileron servo on the outside of the wing	95	2
			aileron servo on the outside of the wing (2)	0	2
			150	4	
			rudder servo		0
		i.	1	·	v

			aileron servo near the	20	2
			aileron servo on the mid		
			of the wing	67	2
			aileron servo on the	118	2
6	YAK54-129		outside of the wing	110	
			aileron servo on the	0	2
			outside of the wing (2)		
		inside of the stabilizer		160	4
			rudder servo	0	0
			aileron servo near the	30	2
			aileron servo on the mid of the wing	80	2
			aileron servo on the		
7	YAK54-148		outside of the wing	130	2
•	111101 110		aileron servo on the	0	0
			outside of the wing (2)	0	2
		inside of the stabilizer	stabilizer servo	185	4
			rudder servo	0	0
			aileron servo near the	30	2
			aileron servo on the mid	80	2
			of the wing	00	Δ
			aileron servo on the	120	2
8	YAK54-180		outside of the wing	120	
			aileron servo on the outside of the wing (2)	165	2
		inside of the stabilizer	stabilizer servo	225	4
		inside of the stabilizer	rudder servo	0	0
			aileron servo near the	20	2
			aileron servo on the mid		
			of the wing	0	2
			aileron servo on the	0	0
9	YAKM55-73		outside of the wing	0	2
			aileron servo on the	0	2
			outside of the wing (2)		
		on fuselage	stabilizer servo	60	2
			rudder servo	0	0
			aileron servo near the	25	2
			aileron servo on the mid	0	2
			of the wing aileron servo on the	-	
10	YAKM55-88		outside of the wing	0	2
10	111111100 00		aileron servo on the		
			outside of the wing (2)	0	2
		inside of the stabilizer	stabilizer servo	105	2
			rudder servo	0	0
			aileron servo near the	25	2
			aileron servo on the mid	40	2
			of the wing	40	4
			aileron servo on the	75	2
11	YAKM55-107		outside of the wing	10	
			aileron servo on the outside of the wing (2)	0	2
		inside of the stabilizer	stabilizer servo	135	2
		inside of the stabilizer	rudder servo	115	2
		l	Tuduet Set An	119	4

	T		aileron servo near the	1.	0
				15	2
			aileron servo on the mid of the wing	55	2
			aileron servo on the	0 =	-
12	YAKM55-122		outside of the wing	95	2
			aileron servo on the	0	9
			outside of the wing (2)	0	2
		inside of the stabilizer	stabilizer servo	150	4
			rudder servo	130	4
			aileron servo near the	25	2
			aileron servo on the mid	0	0
			of the wing	0	2
			aileron servo on the	0	2
13	EXTRA260-73		outside of the wing	U	u .
			aileron servo on the	0	2
		c 1	outside of the wing (2)		0
		on fuselage	stabilizer servo	55	2
			rudder servo	0	0
			aileron servo near the	30	2
			aileron servo on the mid	0	2
			of the wing aileron servo on the	-	
14	14 EXTRA260-87		outside of the wing	0	2
14	EXTRA200-67		aileron servo on the	_	_
			outside of the wing (2)	0	2
		on fuselage	stabilizer servo	95	2
		<u> </u>	rudder servo	0	0
			aileron servo near the	20	2
			aileron servo on the mid		
			of the wing	40	2
			aileron servo on the	80	2
15	EXTRA260-106		outside of the wing	00	4
			aileron servo on the	0	2
			outside of the wing (2)		
		inside of the stabilizer	stabilizer servo	140	2
<u> </u>			rudder servo	0	0
			aileron servo near the	30	2
			aileron servo on the mid	75	2
			of the wing		1
1.6	EVTDAGGO 100		aileron servo on the	115	2
16	EXTRA260-122		outside of the wing aileron servo on the		
			outside of the wing (2)	0	2
		inside of the stabilizer	stabilizer servo	165	4
			rudder servo	145	2
			aileron servo near the	25	2
			aileron servo on the mid		
			of the wing	0	2
	nymp i a a = =		aileron servo on the	^	
17	EXTRA300-73		outside of the wing	0	2
'	EXTRA330-73		aileron servo on the	0	2
			outside of the wing (2)		
		on fuselage	stabilizer servo	70	2
			rudder servo	0	0

			aileron servo near the	40	2
			aileron servo on the mid		
			of the wing	0	2
	EVED LOOP OF		aileron servo on the	0	0
18	EXTRA300-88		outside of the wing	0	2
	EXTRA330-88		aileron servo on the	0	2
			outside of the wing (2)		
		inside of the stabilizer	stabilizer servo	125	2
			rudder servo	0	0
			aileron servo near the	30	2
			aileron servo on the mid	45	2
			of the wing	40	4
1.0	EXTRA300-107		aileron servo on the	80	2
19	EXTRA330-107		outside of the wing		
			aileron servo on the outside of the wing (2)	0	2
		inside of the stabilizer	stabilizer servo	145	2
		Thistide of the Stabilizer	rudder servo	0	0
			aileron servo near the	_	2
				30	
			aileron servo on the mid of the wing	70	2
			aileron servo on the		
20	EXTRA300-122		outside of the wing	110	2
20	EXTRA330-122		aileron servo on the	0	0
			outside of the wing (2)	0	2
		inside of the stabilizer	stabilizer servo	165	4
			rudder servo	0	0
			aileron servo near the	7	2
			aileron servo on the mid	0	
			of the wing	0	2
			aileron servo on the	0	2
21	SBACH342-53		outside of the wing	V	
			aileron servo on the	0	2
		c 1	outside of the wing (2)	0.5	0
		on fuselage	stabilizer servo	35	2
			rudder servo	0	0
			aileron servo near the	20	2
			aileron servo on the mid	0	2
			of the wing aileron servo on the		
22	SBACH342-73		outside of the wing	0	2
22	SDROID-12 10		aileron servo on the	0	
			outside of the wing (2)	0	2
		on fuselage	stabilizer servo	55	2
			rudder servo	0	0
			aileron servo near the	25	2
			aileron servo on the mid		
			of the wing	0	2
			aileron servo on the	0	2
23	SBACH342-87		outside of the wing	U	4
			aileron servo on the	0	2
		C 1	outside of the wing (2)		
		on fuselage	stabilizer servo	75	2
			rudder servo	0	0

	I		aileron servo near the	O.F.	0
				25	2
			aileron servo on the mid of the wing	40	2
			aileron servo on the		
24	SBACH342-107		outside of the wing	75	2
21	OBMONO 12 TO		aileron servo on the	0	0
			outside of the wing (2)	0	2
		inside of the stabilizer	stabilizer servo	135	2
			rudder servo	115	2
			aileron servo near the	20	2
			aileron servo on the mid		
			of the wing	57	2
			aileron servo on the	95	2
25	SBACH342-122		outside of the wing	9 0	
			aileron servo on the	0	2
			outside of the wing (2)		
		inside of the stabilizer		155	4
			rudder servo	135	4
			aileron servo near the	30	2
			aileron servo on the mid	80	2
			of the wing	00	
0.0	CD 1 CHO 10 1 10		aileron servo on the	130	2
26	SBACH342-148		outside of the wing		
			aileron servo on the outside of the wing (2)	0	2
		inside of the stabilizer	stabilizer servo	200	4
		This ide of the stabilizer	rudder servo	0	0
			aileron servo near the		2
				20	
			aileron servo on the mid of the wing	0	2
			aileron servo on the	_	
27	EDGE540-73		outside of the wing	0	2
-			aileron servo on the	0	0
			outside of the wing (2)	0	2
		on fuselage	stabilizer servo	50	2
			rudder servo	0	0
			aileron servo near the	25	2
			aileron servo on the mid		
			of the wing	0	2
			aileron servo on the	0	2
28	EDGE540-87		outside of the wing	U	
			aileron servo on the	0	2
		C 1	outside of the wing (2)		
		on fuselage	stabilizer servo	70	2
			rudder servo	0	0
			aileron servo near the	27	2
			aileron servo on the mid		2
			of the wing		
00	EDGE540-107		aileron servo on the	77	2
29			outside of the wing aileron servo on the		
			outside of the wing (2)	40	2
		inside of the stabilizer	stabilizer servo	130	2
		Indiana of the beatinger			
			rudder servo	110	2

			aileron servo near the	30	2
			aileron servo on the mid of the wing	70	2
30	EDGE540-122		aileron servo on the outside of the wing	115	2
			aileron servo on the outside of the wing (2)	0	2
		inside of the stabilizer	stabilizer servo	140	2
			rudder servo	120	
			aileron servo near the	35	2
			aileron servo on the mid of the wing	0	2
31	columbia		aileron servo on the outside of the wing	100	2
	400-128		aileron servo on the outside of the wing (2)	0	2
			stabilizer servo	110	2
			rudder servo	30	2
			aileron servo near the	47	2
			aileron servo on the mid of the wing	0	2 2 2 2 2
32	columbia 400-150		aileron servo on the outside of the wing	130	2
	400-150		aileron servo on the outside of the wing (2)	0	2
		inside of the stabilizer	stabilizer servo	140	2
			rudder servo	0	0

			aileron servo near the	35	2
			aileron servo on the mid		2
			of the wing	90	2
	skyline 182-		aileron servo on the	130	2
33	150		outside of the wing	100	
			aileron servo on the outside of the wing (2)	0	2
		inside of the stabilizer	stabilizer servo	160	2
		This ide of the stabilizer	rudder servo	140	1
			aileron servo near the	28	2
			aileron servo on the mid	20	
			of the wing	40	2
			aileron servo on the	0.5	0
34	KATANA-106		outside of the wing	85	2
			aileron servo on the	0	2
			outside of the wing (2)	_	
		inside of the stabilizer	stabilizer servo	135	2
			rudder servo	0	0
			aileron servo near the	27	2
			aileron servo on the mid	70	2
			of the wing	10	
			aileron servo on the	110	2
35	KATANA-122		outside of the wing	110	
			aileron servo on the outside of the wing (2)	0	2
		inside of the stabilizer	stabilizer servo	155	4
		THISTUC OF THE STABILIZED	rudder servo	0	0
			aileron servo near the	15	2
			aileron servo on the mid	10	
			of the wing	0	2
			aileron servo on the	0-	-
36	SKY-WOLF-88		outside of the wing	65	2
			aileron servo on the	0	2
			outside of the wing (2)		
		on fuselage	stabilizer servo	70	2
			rudder servo	85	1
			aileron servo near the	20	2
			aileron servo on the mid	0	2
			of the wing	U	J
0.77	DECATHLON-		aileron servo on the	75	2
37	107		outside of the wing aileron servo on the		
			outside of the wing (2)	0	2
		on fuselage	stabilizer servo	85	2
			rudder servo	95	1
			aileron servo near the	25	2
			aileron servo on the mid		
			of the wing	95	2
	DDGAETT OU		aileron servo on the	0	0
38	DECATHLON-		outside of the wing	0	2
	122		aileron servo on the	0	2
			outside of the wing (2)		
		on fuselage	stabilizer servo	100	2
1			rudder servo	100	1

			aileron servo near the	35	2
			aileron servo on the mid		
			of the wing	85	2
	DECATH ON		aileron servo on the	150	2
39	DECATHLON- 150		outside of the wing	100	
	150		aileron servo on the	0	2
			outside of the wing (2)		
		inside of the stabilizer	stabilizer servo	160	2
			rudder servo	0	0
			aileron servo near the	50	2
			aileron servo on the mid	105	2
			of the wing	100	4
	DECATHLON-		aileron servo on the	145	2
40	180		outside of the wing	110	
			aileron servo on the	185	2
		ii.l 6 . th t h i l i	outside of the wing (2)	105	1
		inside of the stabilizer	stabilizer servo	195	4
			rudder servo	165	2
			aileron servo near the	25	2
			aileron servo on the mid	0	2
			of the wing aileron servo on the	U	
41	Sport-88		outside of the wing	82	2
41	5p01 t 00		aileron servo on the		_
			outside of the wing (2)	0	2
		on fuselage	stabilizer servo	105	2
			rudder servo	105	1
			aileron servo near the		2
			aileron servo on the mid		
			of the wing	0	2
			aileron servo on the	105 25 0 82	2
42	Trainer-90		outside of the wing	04	۷
			aileron servo on the	0	2
			outside of the wing (2)		
		on fuselage	stabilizer servo	105	2
			rudder servo	105	1
			aileron servo near the	75	2
			aileron servo on the mid	0	2
			of the wing	U	
			aileron servo on the	0	2
43	Glider-216"		outside of the wing	U	
			aileron servo on the	0	2
		on fugaloga	outside of the wing (2)	100	0
		on fuselage	stabilizer servo	100	2
			rudder servo	0	2